PLANTATION SHUTTERS



PLANTATION SHUTTER WARRANTY



WARRANTY

WARRANTY

What products does this warranty cover?

Our Warranty and Repair Policy covers the repair or replacement of CW product brands, if found to be defective in materials or workmanship. A 'repair' is any order that relates to a previous order, whether making a warranty claim, re-ordering or just requiring a product part for the same job.

Light Gaps in Plantation Shutters

Plantation shutters are not designed to, and should never be sold as a complete block out product.

Therefore, they should not be judged as such.

There is a tolerance in manufacturing shutters that allows for small variations in light gaps between plantation shutter blades. This means the light gaps are not to be inspected when the blades are fully closed (closed tight) but rather, with a 4-6mm separation between the blades.

A product will be deemed defective if a defect is visible with the naked eye in natural daylight at a distance of 1.5 metres.

This warranty only applies to CW Systems products. CW Systems reserves the right, at its discretion, to void warranty if and where a distributor rebrands a CW product or brand.

To whom do we give this warranty?

We give this warranty to the original purchaser, only if the goods were purchased from a CW Systems distributor (retailer, dealer or reseller) as new goods.

Warranty only applies when the product is fitted in accordance with the distributor's instructions and are used for the intended purpose for which the product has been manufactured.

Warranties are not transferrable and are only available to customer to whom invoice is addressed.

What is CW Systems responsibility?

CW Systems will repair or replace at its sole discretion any parts or items deemed to be suffering from a defect. If and where possible, CW Systems will repair or replace the defective product using identical or similar components.

If CW Systems designs and/or styles have been altered or upgraded, CW Systems will replace any components suffering from a defect with a part or product of comparable quality and value.

How do we honour this warranty?

We will either repair our goods, or replace our goods with new goods, at our discretion, if:

- the goods have a defect in the materials or workmanship, or the goods fail to operate as intended; and
- · you make a claim under this warranty as provided below, within the time periods set out below.

Warranty Commencement Condition

The warranties shall be valid once the installer has;

- · provided to the customer a warranty certificate signed by the installer as issued by CW Systems with the product details and,
- the relevant part of the warranty certificate has been returned by the customer to CW Systems with a copy of the invoice issued by the installer to the customer and
- · it is with a copy of the receipt issued by the installer evidencing payment to the installer.

The warranty certificate must be returned to the distributor no later than 21 days after the completion of the installation for the customer to be entitled to these warranties.

Who will incur costs? Are there any costs?

The consumer will be required to pay the cost of any travelling time to inspect goods, freight or handling costs, any removal and installation costs. There may also be an additional call out fee charged for inspection when you make a claim, however any call out fee that we charge you will be refunded if we determine that the goods are defective.

This warranty does not cover the costs of removal of the warranted goods or installation of the repaired or replaced goods including consequential or incidental damages. However, we will meet those costs if the goods breach any of the guarantees applicable under the Australian Consumer Law.

What warranty will not cover

This warranty is only valid for the original purchaser or first end user and is at the sole discretion of CW Systems. The warranty is ex-factory and restricted to supply only.

Hardware and components such as magnets, hinges, magnets catches, sliding/bi-fold wheels – Have a 2 year warranty.

Standard hinges, magnets & magnets catches are subject to moisture damage and rusting. They may need to be changed if the shutter is in a high moisture environment. Stainless steel hinges and Plastic catches are available as an alternative.

The warranty excludes any shipping, labour or other associated costs with the installation or removal of product and all liability for consequential or incidental damages.

For the purposes of this warranty, "defect" does not include (and we will not replace or repair products suffering from) damage caused by:

- · Normal wear and tear
- · Installation or the manner of application or fixing
- · Installation damage to the window(s) or premises
- · Misuse, abuse or accident
- · Use of the product outside the CW Systems specification guidelines and its intended use
- · Failure to follow instructions with respect to cleaning and/or maintenance
- · Incorrect or insufficient care, cleaning and maintenance
- · Any unreasonable or unusual use or a failure to carry out normal maintenance and cleaning
- Exposure to the elements (e.g. sun damage), progressive or discolouration over time; installations subject to salt spray or marine influences, severe industrial or corrosive environments
- · Exposure to high humidity (resulting in mould & mildew or 'warping')
- Modifications made by any person other than a professional and certified installer or caused by use or installation that is not in compliance with the installation instructions provided with the product, or otherwise provided by CW Systems
- \cdot Use of components not supplied by CW Systems
- · Any alterations made to original product supplied
- \cdot Use of silicon-based sprays or abrasive cleaning agents on product
- · Progressive deterioration of finishes and materials due to exposure due to outside elements
- \cdot Fire, flood or natural disasters or acts of God
- \cdot Defects due to any contamination or pollution due to surface dirt or staining
- · Damage caused by any third party
- \cdot Damage caused by pets and animals, such as but not limited to, scratch or bite marks





WARRANTY

Distributor obligations under the Warranty

CW Distributors must supply customer with 'Warranty Certificate' on the day of installation and fill accordingly then return to CW Systems sales@cwsystems.com.au or PO Box 215, Winston Hill NSW 2152 within five business days of installation date. This document certifies that the person named on the certificate properly installed the product thus limiting liability. (A distributor can request for a copy of the Warranty Certificate by emailing sales@cwsystems.com.au)

If the product/s are defective the liability of CW Distributor shall be limited and at the discretion of the Distributor, he/she has the option to do one or more of the following:

- · Replace the product or supply equivalent product
- · Repair the product
- · Pay for the cost of replacing the product or acquiring equivalent product
- · Pay the cost of having the product repaired
- · Refund the customer of the cost paid by the customer for the product

Warranty & Repair Policy Claim

When claiming under this Warranty to CW Systems, you must submit a completed Repair Request Form through original distributor in writing, AND you must substantiate your claim with proof (ie unedited photograph) of the error or defect. For a copy of the Repair Request form, please email sales@cwsystems.com.au

The customer must submit the form within a period of one calendar month of first detecting the defect and at their cost.

We will then arrange for the goods to be inspected and determine whether they are defective and if, acting reasonably, we agree they are defective we will (at our option) either repair the goods, or replace the goods with new goods. A call out fee may be charged for inspection, however any call out fee that we charge you will be refunded if we determine that the goods are defective.

The Repair Request Form will be assessed by CW Systems and if accepted as a defect of material or labour,

will be processed and sent onto the factory of manufacture for re-supply.



WARRANTY

How do I make a claim?

Distributor checklist is as follows:

- 1. Email sales@cwsystems.com.au and ask for a Repair Request Form
- 2. Ask customer to take photos of the alleged defect
- 3. Fill out Repair Request Form and attach photo/s with defect explanation then return to CW Systems (please note that your Repair Request Form will be rejected if all the sections are not satisfactorily completed)

Customer checklist is as follows:

- 1. Prepare claim no longer than one calendar month of first detecting the defect
- 2. Email details of your claim to the address of the original place of purchase (distributor) and distributor name including:
 - a. your name, address, phone number
 - b. date of installation of product
 - c. images of defect
 - d. explanation of the circumstances in which the defect appeared and that you wish to claim under this warranty
 - e. proof of your purchase and the warranty certificate details
 - f. all other information we would and reasonably request about the circumstances in which you consider the defect was caused

Your repair cannot be accepted if:

The Repair Request form is not filled out correctly or in its entirety, including measurements, details of the cause and effect and the original order information

You are making a claim and have not supplied the relevant photographs

The job had not been paid for in full in accordance with the purchase order

The Warranty Certificate has not been previously submitted within the stated time

The period in which this warranty applies

Please note that each material type has its own limited warranty and will be supplied upon request. To review a specific product warranty please email sales@cwsystems.com.au

*Dark custom colours may cause Thermo 25 and Thermo TEC to overheat reducing longevity of product life and warping which is outside of the specified product guideline.

*Basswood is not intended to be used in wet or high humidity areas to prevent longevity of product life therefore outside of specified product guidelines.





 \bigcap

CUSTOMER:

REPAIR ORDER NO. :

YOUR ORIGINAL SIDE MARK OR ORDER No.:

WARRANTY REPAIR REQUEST FORM

ABN: 98 138 897 088

Head Office: 4-6 Viewbrook Close, Seven Hills NSW 2147
Postal Address: PO Box 215, Winston Hill NSW 2152
Ph: (02) 9624 0700 Fax: (02) 9838 4740
Email: sales@cwsystems.com.au

CW SYSTEMS OFFICE USE ONLY, NEW ORDER No.:

IMPORTANT NOTICE:

A PHOTO IS REQUIRED FOR ALL PRODUCTS IF YOU ARE MAKING A WARRANTY CLAIM.
THIS REPAIR WILL BE REJECTED IF ALL THE APPROPRIATE SECTIONS ARE NOT COMPLETED.

SHUTTER REPAIR:		DATE:
PROBLEM CAUSED BY:		PHOTOS ATTACHED WITH EMAIL :
GENERAL REA	SON FOR REPAIR:	
FACTORY WO	RK REQUIRED:	CUSTOMER NOTES:
Item No.	Panel No	
Name of Perso	on Submitting Repair Reques	st:
		OFFICE USE ONLY

OFFICE NOTES

REQUEST EXCEL FORM:

send to sales@cwsystems.com.au



WARRANTY CERTIFICATE

10.	PO Box 215, Winston Hill NSW 2152	
	named on this certificate had inst product known as	
Name and address of installer:		
Place of installation:		
Date of installation:		
Signed by the installer: Dated:		







Thank you for purchasing **Bayview Plantation Shutters.**

To maintain the appearance and increase the longevity of your shutters, please follow the below care instructions.

General Operation

- · When rotating blades tilt two blades at the same time from the centre of the panel.
- · To open hinged panels, tilt open blades and pull the fixed stile. Never open or close the panels by pulling the blades.
- · To avoid damage to the frame, larger panels should be lifted into frame by the stile or under the mid rail.
- · Do not put hands through blades to access window.
- · Blades must be closed before panels of bi-fold shutters are folded back.
- · If blades are stiff or loose, adjust the tension screw located on the side of the panels until desired tension is reached

Care and Cleaning Instructions:

- · Dust panels with feather duster or gently vacuum with a soft brush attachment.
- · To remove persistent dirt or stains use a soft slightly damp cloth with mild soapy solution and dry immediately.
- · Do not use abrasive cleaners or scrub or rub shutters harshly to avoid tarnishing finish.
- · Keep Sliding and Bi-Fold tracks free from dirt and dust.
- · Use silicone spray if needed on tracks only. Do not spray silicon on shutters.



BEST DECISION FOR YOUR HOME









